




0	08/09/25	DP	DP		FOR APPROVAL														
Rev	Date	Drawn	Checked	Approved	Description					Rev	Date	Drawn	Checked	Approved	Description				

The information on this drawing is the property of Hager Electro. It is disclosed in confidence and is not to be reproduced, used or disclosed in part or in whole except for the purpose for which furnished.

WHOLESALE:

CONTRACTOR:



Title: OCULAR EVSE
EV-DB INDOOR IP43 48 POLE

SINGLE LINE DIAGRAM

Cad File:

Date:

QUOTE NUMBER :

A3


Drawing No.

Sheet

1 of 3

Revision

0



SIDE VIEW

- | EQUIPMENT SCHEDULE | | | |
|--------------------|-----|-----------------|---|
| ITEM | QTY | CATALOG | DESCRIPTION |
| 1 | 1 | EC25250CT | Current transformer 250/5 2,5VA Kl. 1 |
| 2 | 1 | JKM01 | Multi-Function Meter Pulsed/Modbus Single Input (din mount) - 1 channel |
| 3 | 1 | JPA0EXTDW | APEX EXT BOX - 400MM - RAL7035 48 POLE DIN RAIL |
| 4 | 1 | JPACTTH2 | CURRENT TRANSFORMERS MOUNTING PLATE |
| 5 | 1 | JPSMSEAL2 | APEX APEX+ ELITE SMOKE SEAL2 |
| 6 | 1 | JPD4800S2SDW | DB, APEX+, 48P, 250A ISO-DIN-GR |
| 7 | 8 | JVC0PFL | SAFETY POLE FILLERS 1PK (10 pole fillers per pack) |
| 8 | 1 | MSN306 | 3-Pole MCB C CURVE 6kA 6A |
| 9 | 1 | PGMF1300AU | METER VOLTAGE SUPPLY CABLE - 13M |
| 10 | 1 | PGRJ500 | RJ45 CONNECTOR CABLE 67 L7005 LSZH, 0.5M |
| 11 | 1 | STACK_ENCLOSURE | STACK AND FIT TWO ENCLOSURES |

Revision

K